


FIG. 5

FIG. 2A







FIG.2B

FIG. 3A







FIG.3B







FIG. 4B

9/61

FIG. 6



10/61








FIG. 7













FIG. 1/B







FIG. 12B






FIG. 15





FIG. 16A






FIG. 16B






FIG. 17

FIG. 18








FIG. 19B

27/61

FIG. 20

43





FIG. 20

FIG.22







FIG. 23




FIG. 24




FIG. 25




FIG.26

F1G.27

2.





FIG. 28

RIOTS SETTINGS		223
AUTOCAL	<input checked="" type="checkbox"/>	
UNITS	KILOMETERS	<input type="checkbox"/>
226~SOURCES FILE	DEMO3 DEMO3 OBS	BROWSE
227~RECEIVERS FILE	DEMO3 DEMO3 OBS	BROWSE
228~PICKS FILE	DEMO3 DEMO3 OBS	BROWSE
229~RESOLUTION	HIGHEST	<input type="checkbox"/>
NX		
230	NZ	
H		
231~SOURCE COUNT	5	
232~PICK COUNT	120	
233~OUTPUT DIRECTORY	DEMO3	BROWSE
234~OUTPUT EXTENSION	1	
OK		CANCEL

427

FIG. 29

429



430

431

428

FIG. 30

432





FIG. 31



37/61




FIG.33

FILES TO VIEW AND VIEW MODE			
	NUMBER OF VIEWS		
VIEW 0	INTERACTIVE VELOCITY GRAPH ▾	4	DEMO3 VELFILE_1
VIEW 1	INTERACTIVE VELOCITY GRAPH ▾		BROWSE
VIEW 2	MODEL GRAPH ▾		BROWSE
VIEW 3	ISD ▾		BROWSE
OK 243		CANCEL	

SEISOPT@2Dv2.0 (C)OPTIM SOFTWARE.COM	
VELFILE ▾	
LAYER DENSITY	MAXIMUM
	MAXIMUM
	257
	129
	65
	33
	17
	9
	5

FIG.35

FIG.34




FIG.36




FIG. 37




FIG.38




FIG.39




FIG. 40




FIG. 41




FIG. 43

328




FIG. 46

337




FIG. 42

MAKE EPS SETTINGS		X	
310	PLOT SOURCES/RECVRS	<input type="checkbox"/>	
311	PLOT ELEV PROFILE	<input checked="" type="checkbox"/>	
312	INPUT FILE	DEMO3\VELPLOT_1	BROWSE
313	X MINIMUM	-0.063587	
314	X MAXIMUM	4.005980	
315	Y MINIMUM	-0.336088	
316	Y MAXIMUM	1.190000	
317	SCALE LABEL	VELOCITY, KM/S	
318	AXIS LABEL	DISTANCE, KM	
319	Y AXIS LABEL	ELEVATION, KM	<u>307</u>
320	TITLE	VELOCITY MODEL	
321	ASPECT RATIO	0.375000	
322	USE COLOR	<input checked="" type="checkbox"/>	
323	NUMBER OF COLORS	250	
324	USE AUTO SCALE	<input checked="" type="checkbox"/>	
325	MAXIMUM	<u>325</u>	
326	MINIMUM	<u>326</u>	
OK		<u>327</u>	CANCEL

FIG. 44





FIG. 45






FIG. 50




FIG.51




FIG. 52

358





FIG. 53

359



346

FIG.54




FIG. 55




FIG.56 370





FIG. 57

59/61






FIG. 59

